

U.S. Patent No. 6,201,609
Case No. 0202/US



2008 JUL 17 PM 4:26

PAE
(M)
#7

+CERTIFICATE OF MAILING

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Date: July 11, 2008

Signature:

Francis J. Caufield

Francis J. Caufield
Registration No. 27,425

RECEIVED

JUL 22 2008

OFFICE OF PETITIONS

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.	6,201,609	Refund Ref:	02/02/2009 CKHLOK 0000165976
Application No.:	09/384,855	Art Unit:	2877
Filed:	August 27, 1999	Examiner:	P. Natividad
Inventor:	Henry Allen Hill, et al.	Refund Total:	\$200.00
For:	INTERFEROMETERS UTILIZING POLARIZATION PRESERVING OPTICAL SYSTEMS		

**PETITION PURSUANT TO 37 CFR 1.377 TO CORRECT ERRONEOUS
MAINTENANCE FEE PAYMENT**

Mail Stop Petition
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

01 FC:1552 2360.00 OP

Adjustment date: 02/02/2009 CKHLOK
07/15/2008 EFLORES 00000011 6201609
01 FC:1599 -200.00 OP

Sir:

On June 25, 2008, the Office mailed a NOTICE OF SPECIAL ACCEPTANCE OF PATENT MAINTENANCE FEE (Copy enclosed) indicating that it received a 7.5 year maintenance fee payment on June 17, 2008 and applied it to patent number 6,201,855. The Notice indicated that the application number provided in the Form PTO/SB/45 (Copy enclosed) submitting the payment did not match correct one for Patent No. 6,201,855. Payment was made by way of Zygo Corporation Check Number 318018. A copy of this canceled check was supplied to me in the Notice and is also enclosed.

Adjustment date: 09/03/2008 CKHLOK
06/25/2008 SHARRISO 00000004 6201855
01 FC:1552 -2360.00 OP

07/15/2008 EFLORES 00000011 6201609
01 FC:1599 200.00 OP

09/03/2008 CKHLOK 00000009 6201609
01 FC:1552 2360.00 OP

Adjustment date: 02/02/2009 CKHLOK
09/03/2008 CKHLOK 00000009 6201609
01 FC:1552 -2360.00 OP

In submitting payment, Patent No. 6,201,855 was incorrectly identified due to a transcription error in filing out Form PTO/SB/45. The correct number intended for payment is Patent No. 6,201,609, whose application number correctly matches that provided on the payment form and which also appears on the face of the canceled Zygo check along with my corresponding Case No. 0202.

Accordingly, I herewith petition the Patent Office to correctly apply the previously submitted 7.5 year maintenance fee payment of \$2360.00 to Patent No. 6,201,609 instead of the erroneously identified Patent No. 6,201,855.

Enclosed is my Check No. 1118 for \$200.00 for the petition fee pursuant to 37 CFR 1.17(g). Should any additional fee be required, please debit my Deposit Account No. 03-1150. Should anything further be required in support of this petition, please contact me.

Respectfully submitted,

July 11, 2008
Date



Francis J. Caufield
Registration No. 27,425
6 Apollo Circle
Lexington, MA 02421-7025
Telephone: 781 860 5254
Facsimile: 781 862 9464

FJC:pc

Enclosures: Check No. 1118, Copies of Notice, PTO Form/SB/45, Zygo Canceled
Check No. 318018, and Return Receipt Postcard